

# Product key – edges and fixing systems

Ceiling surface/tile joints	Edges	Fixing system	Grid type
Exposed grids	Edge A		T-15 <sup>1)</sup>
			T-24 <sup>1)</sup>
Highlighted grids	Edge E15		T-15 <sup>1)</sup>
	Edge E15/A		T-15 <sup>1)</sup>
Highlighted joints	Edge B		GK(CD)-system Primary/secondary Timber battens
	Edge D1		T-24 <sup>1)</sup>
Highlighted joints	Edge A1		GK(CD)-system in 2 levels
	Edge B1		GK(CD)-system Primary/secondary Timber battens
	Edge B1 Bend		Rolled and bent grid
Units	Trap		Supplied with a finished hanging set with brackets and sections

<sup>1)</sup> Grid system is supplied as a standard white colour. For larger projects the edges can be supplied in special colours

<sup>2)</sup> If a lower construction height is needed contact Gyproc

<sup>3)</sup> Should not be used for regular demounting

Construction height	Demountable	Accessibility to concealed structures	Product links	Load in kg	System facts
100 mm <sup>2)</sup>	Yes	Suitable	All basic patterns in Tiles	Grid system = 5 Plasterboard = 3 See footnote <sup>5)</sup>	See the brochure: Gyptone ceilings 3.2.1 Edge A
100 mm <sup>2)</sup>	Yes	Suitable	All basic patterns in Tiles	Grid system = 5 Plasterboard = 3 See footnote <sup>5)</sup>	See the brochure: Gyptone ceilings 3.2.2 Edge E15
200 mm <sup>2)</sup>	Yes	Suitable	Gyptone Plank	The system must not be overloaded	See the brochure: Gyptone ceilings 3.2.3 Edge E15/A
170 mm <sup>2)</sup>	No	Not serviceable	All basic patterns in Tiles	Grid system = 0,5 Plasterboard = 3 See footnote <sup>5)</sup>	See the brochure: Gyptone ceilings 3.3.3 Edge B
75 mm <sup>2)</sup>					
See footnote <sup>6)</sup>					
100 mm <sup>2)</sup>	Yes <sup>3)</sup>	Partly serviceable <sup>3)</sup>	All basic patterns in Tiles	Grid system = 5 Plasterboard = 1 See footnote <sup>5)</sup>	See the brochure: Gyptone ceilings 3.3.1 Edge D1
180 mm <sup>2)</sup>	No	Not serviceable	Rigitone BIG	Grid system = 5 Plasterboard = 3 See footnote <sup>5)</sup>	See the brochure: Gyptone ceilings 3.3.2 Edge A1
145 mm <sup>2)</sup>	No	Partly serviceable <sup>3)</sup>	Gyptone BIG	Grid system = 5 Plasterboard = 3 See footnote <sup>5)</sup>	See the brochure: Gyptone ceilings 3.3.4 Edge B1 and B1 Bend
75 mm <sup>2)</sup>					
See footnote <sup>6)</sup>					
See footnote <sup>6)</sup>	No	Not serviceable	Gyptone Bend	Grid system = 5 Plasterboard = 3 See footnote <sup>5)</sup>	See the brochure: Gyptone ceilings 3.3.4 Edge B1 and B1 Bend
95 mm <sup>2)</sup>	Yes	Highly serviceable	Gyptone Trap	Unit = Dependant on selected solution plus component size	See the brochure: Gyptone ceilings 3.2.4 Trap system

<sup>4)</sup> In combination with Gyptone BIG Inspection Hatch

<sup>5)</sup> If a higher load is needed contact Gyproc

<sup>6)</sup> Dependant on the selected timber size


# www.gyptone.com

Gyptone.com is not just a home page. Here you can find all Gyptone products "live" – see [www.gyptone.com](http://www.gyptone.com) – choose the 3D product gallery and you will enter a 3D universe where all our products can be turned around and over, put together with different systems and displayed exactly the way you want them in your project.



Gyproc A/S  
Hareskovvej 12  
DK-4400 Kalundborg  
Denmark  
Tel.: +45 59 57 03 30  
Fax: +45 59 57 03 01  
e-mail: [info@gyproc.com](mailto:info@gyproc.com)  
[www.gyptone.com](http://www.gyptone.com)

October 2007



Gyptone ceilings  
Edges and fixing systems  
3.1 Product key



**Gyptone®**

Reflecting everyday life